South Carolina Department of Health and Environmental Control
Office of Ocean and Coastal Resource Management
1362 McMillan Avenue, Suite 400
Charleston, South Carolina 29405

July 24, 2013 Permit Application Public Notice (Revision #2) Brandy S. Keener, OCRM-13-163-E

The Department has received an application for a permit for the alteration of a critical area. The application was submitted pursuant to the Coastal Zone Management Act (Act 123) of 1977 South Carolina General Assembly. The application in brief, is described as follows:

LOCATION:

On and adjacent to Stono River at 1338 (Lots 108 & 109) Headquarters Plantation Drive, Headquarters Plantation,

Johns Island, Charleston County, South Carolina. TMS: 346-07-00-011.

WORK:

The work as proposed and shown on the attached plans consists of making additions to an existing dock. Specifically, the applicant seeks to add a 3' x 30' catwalk and new 12.5' x 12.5', four-pile boatlift ebbside of the pierhead and landward of the existing floating dock structure. The applicant also seeks to add a 4' x 40' walkway from lot 109 to join the existing walkway.

The work as described is for joint, recreational use.

PLEASE NOTE: This is the second revision from the original notice of June 27, 2013.


This public notice is being distributed to all known interested persons and agencies to assist in developing facts on which a decision by the Department can be based. Comments concerning the proposed work must be submitted in writing, setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition.


Comments regarding this application must be received by the Department on or before <u>August 8, 2013</u>. For more information, please contact **Bill Eiser** at 843-953-0237 or via email at eiserwc@dhec.sc.gov.

NOTE:

Plans depicting the proposed work are available and will be provided upon receipt of a written request or may be viewed on the

Department website at www.scdhec.gov/environment/ocrm/public_notice.htm.





CRM-13-163-C, R#2

